EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
SI	1135	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2006/08/04 18:20
S2	112	703/9.ccor.	US-PGPUB; USPAT	OR	ON	2006/08/01 17:23
S3	352	703/6.ccor.	US-PGPUB; USPAT	OR	ON	2006/08/01 17:23
S4	71	703/5.ccor.	US-PGPUB; USPAT	OR	ON	2006/08/01 17:23
S5	5972	flow near4 vector	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:29
S6	181	S5 and depression	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:22
S7	47	S6 and elevation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:25
S8	28	S7 and cell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:26
S9	22	S8 and @ad<="20030827"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:55
\$11	1051	topaz	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ÓN	2006/08/04 18:33
S12	53	S11 and elevation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:34
S13	3	S12 and depression	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 18:35
S14	708	(flow near4 vector) and elevation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:30
\$15	234	S14 and peak	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:31
S16	188	S15 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:31
S17	97	S16 and slope	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:31
S18	38	S17 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/04 19:33

EAST Search History

S19	8	S18 and downstream	US-PGPUB;	OR	ON	2006/08/04 19:33
	ļ .	•	USPAT;			
			EPO; JPO;			
			DERWENT			

		Results
9.	(((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and peak) and path) and slope) and cell [All Sources(- All Sciences -)]	12
8.	((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and peak) and path) and slope [All Sources(- All Sciences -)]	23
7.	(((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and peak) and path [All Sources(- All Sciences -)]	40
6.	((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and peak [All Sources(- All Sciences -)]	100
5.	(((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and depression) and cell [All Sources(- All Sciences -)]	14
4.	((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation) and depression [All Sources(- All Sciences -)]	31
3.	(pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector)) and elevation [All Sources(- All Sciences -)]	205
2.	pub-date > 1959 and pub-date < 2004 and FULL-TEXT(flow vector) [All Sources(- All Sciences -)]	1907
1.	pub-date > 1959 and pub-date < 2004 and AUTHORS(garbrecht) [All Sources(- All Sciences -)]	14

Copyright © 2006 <u>Elsevier B.V.</u> All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.

Home | Login | Logout | Access Information | Alerts | Sitemap | Help



Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE SEARCH

IEEE XPLORE GUIDE

SUPPORT

Fri, 4 Aug 2006, 7:26:39 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search


Recent	Search Queries	Results
<u>#1</u>	(flow vector) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and>	588
<u>#2</u>	((flow vector <and>elevation)) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and>	18
<u>#3</u>	((flow <and>vector<and>elevation)) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and>	1134
<u>#4</u>	((flow <and>vector<and>elevation)<and>depression) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and>	62
<u>#5</u>	((flow <and>vector<and>elevation)<and>depression<and>cell) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and>	24
<u>#6</u>	((flow <and>vector<and>elevation)<and>peak<and>path) <and>(pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and>	300
<u>#7</u>	((flow <and>vector<and>elevation) <and>peak<and>path<and>slope) <and> (pyr >= 1951 <and>pyr <= 2003)</and></and></and></and></and></and></and>	101
#8	((flow <and>vector<and>elevation) <and>peak<and>path<and>slope<and>cell) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and></and></and>	61
<u>#9</u>	((flow <and>vector<and>elevation) <and>peak<and>path<and>slope<and>cell<and>array) <and> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and></and></and></and>	46
<u>#10</u> <an< td=""><td>w<and>vector<and>elevation) d>peak<and>path<and>slope<and>cell<and>array<and>downstream) d> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and></and></and></td><td>6</td></an<>	w <and>vector<and>elevation) d>peak<and>path<and>slope<and>cell<and>array<and>downstream) d> (pyr >= 1951 <and> pyr <= 2003)</and></and></and></and></and></and></and></and>	6



Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved

The recent database difficulties have been resolved. Please let us know if you encounter any data corruptions.



Searching for flow vector and elevation.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP</u>

4 documents found. Order: number of citations.

Linear Combinations of Optic Flow Vectors for Estimating...- Franz, Chahl (Correct)
Linear Combinations of Optic Flow Vectors for Estimating Self-Motion -a Real-World Test
around an axis at an azimuth of about 30 #and an elevation of about 15 after [1]optimization
variation is particularly small at very low elevations (Fig. 3b)3) The office environment also
books.nips.cc/papers/files/nips15/VS10.ps.gz

ContinentalShkq - Research Lateral Dynamic (Correct)

angle between th positive x-axis and th local **flow vector**)With tht chth of coordinate systemthte is, differing inletwidth andlengthl Circulation and **elevation** fields obtained from fully nonlinear 2)In Sections 3 and 4, we use th velocity and **elevation** fields fromth models to compute term by term cirp.wes.army.mil/cirp/./pubs/pdf/Hench_et_al_CSR_02.pdf

Modeling of a very shallow Water Body - Hinkelmann, Stuckrad (Correct)


still remain some open questions concerning the **flow vectors**. The model was used for several engineering model has been used to simulate surface **elevation**, flow processes and salinity distributions three in-situ instruments for continuous surface **elevation**, velocity and salinity measurements were used. pc42.hydromech.uni-hannover.de/Berichte/../Mitarbeiter/HINKELMANN/paiche95.ps.gz

Environmental Research Brief - Epa May Haitjema (Correct)

to many calculations to arrive at the head or **flow vector** at a point in the aquifer. The computational head) minus the hydraulic conductivity times the **elevation** of the point where the potential is evaluated. www.epa.gov/ada/download/briefs/epa_600_s00_001.pdf

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



Performance driven floorplan: Floorplanning with power supply noise avoidance Hung-Ming Chen, Li-Da Huang, I-Min Liu, Minghorng Lai, D. F. Wong

٦	January 2003 Proceedings of the 20 Publisher: ACM Press	003 conference on Asia South Pacific design automation ASPDAC			
•	Full text available: pdf(133.38 KB)	Additional Information: full_citation, abstract, references			
9	Plenoptic modeling: an image-ba Leonard McMillan, Gary Bishop September 1995 Proceedings of the 2	ased rendering system 22nd annual conference on Computer graphics and interactive			
	techniques Publisher: ACM Press Full text available: ps(3.98) MB)	Additional Information: <u>full citation</u> , <u>references</u> , <u>citings</u> , <u>index terms</u>			
10	Columns: Visfiles: visualizing sin T. Todd Elvins February 1999 ACM SIGGRAPH Com				
	Publisher: ACM Press Full text available: pdf(1.42 MB)	Additional Information: full citation, abstract			
11	A level-set method for flow visualization Rüdiger Westermann, Christopher Johnson, Thomas Ertl October 2000 Proceedings of the conference on Visualization '00				
	Publisher: IEEE Computer Society Press Full text available: pdf(2,27_MB)	Additional Information: full citation, citings, index terms			
12	Shoji Tanaka, Jun Kurumisawa, And	supported composition analysis of masterpieces lre Plante, Yuichi Iwadate, Seiji Inokuchi d conference on Creativity & cognition			
	Publisher: ACM Press Full text available: pdf(1.14_MB)	Additional Information: full citation, references, index terms			
13	Image synthesis from a sparse s Qian Chen, Gérard Medioni October 1997 · Proceedings of the 8t	et of views h conference on Visualization '97			
	Publisher: IEEE Computer Society Press Full text available: Publisher Site	Additional Information: full citation, references, citings, index terms			
Resul	cs 1 - 13 of 13				
	The ACM Portal is published to	by the Association for Computing Machinery, Copyright © 2006 ACM, Inc.			

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat

Q QuickTime Windows Media Player

All articles Recent articles



"flow vector" elevation depression cell

Search Scholar Preferences

Scholar

Results 1 - 15 of 15 for "flow vector" elevation depression cell. (0.09 seconds)

Carving and Adaptive Drainage Enforcement of Grid Digital Elevation Models - group of 5 »

P Soille, J Vogt, R Colombo - Water Resources Research, 2003 - landresources.montana.edu

... proportionally to the angle between the flow vector and the ... a breaching algorithm

whereby the elevation of one or ... at the outlet of the depression are lowered ...

Cited by 4 - View as HTML - Web Search - BL Direct

Tutorials - group of 2 »

W Version - CST Computer Simulation Technology, Darmstadt, Germany, Jan, 2001 - watershedconcepts.com

... Digital Elevation Models. Each TIN setting describes the sampling cell

sizes used to build elevation models. The cell sizes for ...

Cited by 1 - Web Search

CFD for Predicting Shear Stress in a Curved Trapezoidal Channel

D Gessler, RN Meroney - engr.colostate.edu

... instrument to amoderatemisalignment with the local flow vector was investigated. ...

epsilon model shows a depression in the water surface elevation on the ...

View as HTML - Web Search

Asatao maa sadgamaya. tmasaao maa jyaaoit-gamaya.. maR% yau-maa AmaRtMgamaya.! SaaMit SaaMit SaaMit. ...

AMS Gamaya - 2005 - library.usask.ca

... every drainage cell with no identifying label assigned. ... on incremental tolerance

of elevation and distance ... Depression filling algorithms were presented by Mark ...

View as HTML - Web Search

HIVEL 2D v2. 0 - group of 3 »

U Manual - hydrosoft.co.kr

... ρ = fluid density z 0 = channel invert elevation n = Manning's roughness coefficient

C 0 = dimensional constant (C 0 = 1 for SI units and C 0 = 1.486 ...

View as HTML - Web Search

[воок] Gis for Water Resources and Watershed Management

J Lyon, LG Lyon - 2003 - books.google.com

... Chapter 2 Assessing the Performance of Automated Watershed Segmentation from Digital

Elevation Models 17 Jurgen Garbrecht and Lawrence W. Martz ...

Cited by 2 - Web Search - Library Search

Flow-induced effects of macrozoobenthic structures on the near-bed sediment transport - group of 5 »

E des akademischen Grades - web-counter-service.de

... (2001)....54 Fig. 4.2: Flow distribution across a pit-like depression.....55 Fig. ...

View as HTML - Web Search

"A Theory for Strong Long-Lived Squall Lines" Revisited - group of 7 »

ML Weisman, R Rotunno - Journal of the Atmospheric Sciences - ams.allenpress.com

... The cloud model simulations show that the cell-triggering lifting at the ... the steady

outflow from the reservoir is accompanied by a depression wave traveling ...

Cited by 9 - Web Search - BL Direct

METHODOLOGIES FOR WATERSHED MODELING WITH GIS AND DEMS FOR THE PARAMETERIZATION OF THE WEPP MODEL - group of 2 »

TA Cochrane - 1999 - agteca.com

... in a GIS is usually represented by a digital elevation model (DEM). The most common

type of DEM is grid-based, where each grid point is represented by a cell ...

Cited by 1 - View as HTML - Web Search - Library Search

Spatial characteristics of groundwater temperature in the Ishikari Lowland, Hokkaido, northern Japan ... - group of 4 »

J Dim, Y Sakura, H Fukami, A Miyakoshi - Hydrogeology Journal, 2002 - Springer

Page 1. Hydrogeology Journal (2002) 10:296-306 DOI 10.1007/s10040-002-0190-

z Abstract In porous sediments of the Ishikari Lowland ...

Web Search

[воок] Spatial Vision in Humans and Robots - group of 2 »

L Harris, M Jenkin - 1994 - books.google.com

... oxidase (CO) technique with single cell recording to demonstrate how functional

properties differ for neurons within and between ... psychophysics with single cell ...

http://scholar.google.com/scholar?num=100&hl=en&lr=&q=%22flow+vector%22+elevation+depression+cell

Cited by 1 - Web Search - Library Search

GIS-based hydrologic and hydraulic modeling for floodplain delineation at highway river crossings - group of 2 »

DJ Anderson - 2000 - crwr.utexas.edu

... 5 Figure 3-1 TIN Elevation Data for US 77 in Castleman Creek Watershed.....22

Figure 3-2 Castleman Creek Stream Network ... elevation model (DEM). ...

Cited by 1 - View as HTML - Web Search - Library Search

Validation of AnnAGNPS at the Field and Farm-Scale Using an Integrated AGNPS/GIS System - group of 2 »

GM Suir - 2002 - etd.lsu.edu

... This 1991 study used Digital Elevation Model (DEM) data, a contour-based AGNPS-C

model, and a grid-based ... A sensitivity analysis showed that cell size and ...

View as HTML - Web Search

3rd International congress on cardiac Doppler

A Vieli - Heart and Vessels, 1987 - Springer

Page 1. BASIC AND TECICAL t PHYSICAL AND TECHNICAL PRINCIPLES AND 50ME PITFALLS

OF COLOR-CODED DOPPLER FLOW MAPPING. Brennecke, R., Mbhr ...

Web Search

THE ADVANCED CHEMISTRY BASINS PROJECT - group of 2 »

W Goddard, P Meulbroek, Y Tang, L Cathles III - 2004 - osti.gov

... redistributed. Note changes in sea level. Vertical axis is elevation in km;

horizontal axis is distance along the section in km. Plots ...

Web Search

"flow vector" elevation depression ce


Search

Google Home - About Google - About Google Scholar

©2006 Google



"flow vector" elevation peak path slope cell



Scholar

Results 1 - 22 of 22 for "flow vector" elevation peak path slope cell. (0.13 seconds)

From a Grid or Coverage to a Hydrograph: Unlocking Your GIS Data for Hydrologic Applications by E. ... NL Jones, C Smemoe - emrl.byu.edu

All articles Recent articles

... the overall process for defining a **flow vector** grid (Garbrecht ... and basin boundaries from an **elevation** grid. ... model includes a hydrograph from which **peak** flow and ... View as HTML - Web Search

METHODOLOGY OF A GRID-BASED HYDROLOGICAL MODEL AND ITS APPLICATION

FEI YUAN, L REN - wrrc.dpri.kyoto-u.ac.jp

... the relative error of flood discharge **peak** value ... The Digital **Elevation** Drainage Network Model (DEDNM) developed ... 4] is adopted for **flow vector** designation, which ... View as HTML - Web Search

Maximizing spatial congruence of observed and DEM-delineated overland flow networks - group of 4 »

TA Endreny, EF Wood - International Journal of Geographical Information Science, 2003 - Taylor & Francis ... In areas where the **flow vector** is along a ... bifurcation that was associated with **peak** spatial congruence. ... allocated flow into all neighbours lower in **elevation**. ... Cited by 4 - Web Search - BL Direct

Research Article - group of 2 »

TA ENDRENY, EF WOOD - ingentaconnect.com
... In areas where the flow vector is along a ... bifurcation that was associated with peak
spatial congruence. ... allocated flow into all neighbours lower in elevation. ...
Web Search

One-and two-dimensional modelling of overland flow in semiarid shrubland, Jornada basin, New Mexico

DA Howes, AD Abrahams, EB Pitman - Hydrol. Process, 2006 - doi.wiley.com ... algorithm takes as input a digital **elevation** model (DEM ... facets is taken as the **flow vector** for the ... model tends to overpredict observed **peak** discharges, whereas ... Web Search

METHODOLOGIES FOR WATERSHED MODELING WITH GIS AND DEMS FOR THE PARAMETERIZATION OF THE WEPP MODEL - group

TA Cochrane - 1999 - agteca.com

... channels, and representative slope profiles from GIS maps was ... is usually represented by a digital elevation model (DEM ... each grid point is represented by a cell ... Cited by 1 - View as HTML - Web Search - Library Search

NUMERICAL ERRORS IN GROUNDWATER AND OVERLAND FLOW MODELS

L Engineer - sfwmd.gov

... b Manning's coefficient; S n water surface slope and s ... in which, § Q flow vector giving flow rate per unit ... point in its path, the solution may not propagate ... View as HTML - Web Search

A Multidisciplinary Study of Spatial and Temporal Scales Containing Information in Turbulent ... - group of 3 »

MJ Weissburg, DB Dusenbery, H Ishida, J Janata, T ... - Environmental Fluid Mechanics, 2002 - Springer ... was chosen for these studies (ie, the **flow vector** was weighted ... Figure 7). The ratio of the **peak** concentration to ... of the entire blue crab search **path** (see also ... Cited by 11 - Web Search - BL Direct

Flow-induced effects of macrozoobenthic structures on the near-bed sediment transport - group of 5 »

E des akademischen Grades - web-counter-service.de ... Erosion time-series displayed a rapid transport peak, followed by decaying intensities until an Page 9. vi equilibrium state was reached. ... View as HTML - Web Search

Synthetic aperture radar interferometry - group of 4 »

PÅ Rosen, S Hensley, IR Joughin, FK Li, SN Madsen, ... - Proceedings of the IEEE, 2000 - ieeexplore ieee.org ... The sign of the differential path delay, or interferometric ... to a surface of constant elevation, , the flattened ... Slope depen- dence of the fringe frequency can ... Cited by 191 - Web Search - BL Direct

GIS-based hydrologic and hydraulic modeling for floodplain delineation at highway river crossings - group of 2 »

DJ Anderson - 2000 - crwr.utexas.edu

... Longest Flow Path Grid104 ... The peak flows

http://scholar.google.com/scholar?num=100&hl=en&lr=&q=%22flow+vector%22+elevation+peak+path+slo... 8/4/06

associated ... elevation contour lines, or ... Cited by 1 - View as HTML - Web Search - Library Search

Radar interferometry and its application to changes in the Earth's surface - group of 8 »

D Massonnet, KL Feigl - Rev. Geophys, 1998 - ingv.it

... positioned with- out prior knowledge of its elevation. ... limit (1), even a mod- erate slope with the ... eliminated, most of the observed path difference corresponds ...

Cited by 265 - View as HTML - Web Search - BL Direct

Glaciers of North America—GLACIERS OF CANADA - group of 2 »

GKC CLARKE, G HOLDSWORTH - pubs.usgs.gov

... Annotations: 1, Mount Logan (elevation 5,956 m), highest moun-tain in Canada; 2,

Mount ... 2955-19285 and 2955-19292, band 7; 3 September 1977; Path 67, Rows ...

View as HTML - Web Search

From the Directors - group of 2 »

FDKJ Parker - ece.rochester.edu

... 200 µ s bursts of 1-MHz ultrasound (peak pressures: 4.8 ... was a further test of the

"cell size hypoth ... to scale in relation to temperature elevation above the ...

View as HTML - Web Search

[воок] Automatic Extraction of Vortex Core Lines and Other Line Type Features for Scientific Visualization - group of 3 »

M Roth - 2000 - inf.ethz.ch

... of a Valley Whose Valley Line is not a Slope Line.....96 ... an explicit list

of cells, which enumerates the nodes that form the cell. ...

Cited by 22 - View as HTML - Web Search - Library Search

Catchment hydrologic response with a fully distributed triangulated irregular network model - group of 8 »

VY Ivanov, ER Vivoni, RL Bras, D Entekhabi - WATER RESOURCES RESEARCH, 2004 - landresources.montana.edu

... TIN model from a raster-based digital elevation model (DEM ... The refer- ence system

of a Voronoi cell is defined ... parallel to the plane of the maximum slope and n ...

Cited by 5 - View as HTML - Web Search

ADAPTIVE VIRTUAL ENVIRONMENTS IN MODERN MULTI-PLAYER COMPUTER GAMES

M Lanctot - 2005 - sable.mcgill.ca

... 4.10 The aura of reputation flow vector influence created by one ... 6.3 An example

conversion of a path model ... concept is to take existing real elevation data and ...

View as HTML - Web Search

Integrating Hydrodynamic Models and High Resolution DEM (LIDAR) For Flood Modelling

A TamiruHaile - itc.nl

... 37 Figure 4-12: Flow vector when buildings are represented as a ... 57 Figure 5-27:

Elevation contour mapfor 15 m DEM ... 61 Figure 5-37: Slope mapfor 5 m DEM resolution ...

View as HTML - Web Search

Good Practice Guide for Atmospheric Dispersion Modelling - group of 3 »

AD Modelling - mfe.govt.nz

... These include land-sea breezes, slope-valley flows and internal boundary layers

(with associated fumigation effects), which may cause complex patterns of ...

View as HTML - Web Search

New Orleans, Louisiana - group of 4 »

USG Survey - All references to the survey are to the Collection held by ... - pubs.usgs.gov

Page 1. Open-File Report 94-52 r YI:-'. US Geological Survey National Computer

Technology Meeting: Program and Abstracts, New Orleans, Louisiana, ...

Cited by 1 - View as HTML - Web Search

Model Studies OF Seismic Behavior OF Piles IN Sands

A Klar - 2003 - technion.ac.il

... In the path I took to the completion of this thesis I ... 8.1 Unit cell of the infinite pile group problem ... 8.14 flow vector at 7 seconds, n b xr f =8, S/B=4,6.9,10 ...

View as HTML - Web Search

Sixth International Conference on Mars (2003) alpha bl-by. pdf

MA Blackmon, JR Murphy, MW Blair, EG Yukihara, R ... - Ipi.usra.edu

... TL studies. The TL glow curve of JSC Mars-1 shows a single broad peak between 100

o C and 370 o C, with the maximum intensity at around 270 o C (11)

View as HTML - Web Search